




Timken BEARING MFG.CORP

KOYO JH-68 needle roller bearings



JH-68 Bearing 2D drawings and 3D CAD models

Bearing No. JH-68

| | |
|-------------------------------|---|
| Size | 9.525x15.875x12.70 mm |
| Bore Diameter | 9.525 mm |
| Outer Diameter | 15.875 mm |
| Width | 12.70 mm |
| Fw | 9.525 mm |
| D | 15.875 mm |
| C | 12.70 mm |
| Weight | 0.008 Kg |
| Basic dynamic load rating (C) | 6.58 kN |
| Basic static load rating (C0) | 6.09 kN |
| (Grease) Lubrication Speed | 13000 r/min |
| Category | Needle Non Thrust Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.007 |
| EAN | 0605790195624 |
| Product Group | B04144 |
| Rolling Element | Needle Roller Bearing |
| Component | Roller Assembly with Outer Ring - No Inner Ring |
| Enclosure | Open |
| Self Aligning | No |
| Retainer | Yes |
| Number of Rows of Rollers | Single Row |
| | |



Timken BEARING MFG.CORP

| | |
|--------------------------|---|
| Separable | No |
| Closed End | No |
| Inch - Metric | Inch |
| Relubricatable | No |
| Thrust Bearing | No |
| Long Description | 3/8" Bore; 5/8" Outside Diameter; 0-1/2" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of Rol |
| Other Features | 2 Rib Outer Ring Drawn Cup Bearing Steel Cage Heavy Duty |
| Category | Needle Non Thrust Roller Bearing |
| UNSPSC | 31171512 |
| Harmonized Tariff Code | 8482.40.00.00 |
| Noun | Bearing |
| Keyword String | Needle |
| Manufacturer URL | http://www.koyousa.com |
| Manufacturer Item Number | JH-68 |
| Weight / LBS | 0.017 |
| Outside Diameter | 0.625 Inch 15.875 Millimeter |
| Width | 0.5 Inch 12.7 Millimeter |
| Bore | 0.375 Inch 9.525 Millimeter |
| Bearing No. | JH-68 |
| Y(max) | \ |
| Cr | 6.59 |
| C0r | 6.08 |
| Cu | 0.920 |
| Grease lub. | 13000 |



Timken BEARING MFG.CORP

| | |
|---------------------|-------|
| Oil lub. | 20000 |
| (Refer.) Mass(kg) | 0.008 |
| Mounting inner ring | IRA-3 |